

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/653,174	09/03/2003	Masayuki Kanno	107609.01	3038	
25944	7590 10/18/2006		EXAMINER		
	ERRIDGE, PLC	JASTRZAB, KRISANNE MARIE			
P.O. BOX 19 ALEXANDR	1928 LIA, VA 22320		ART UNIT	PAPER NUMBER	
	,		1744		
			DATE MAILED: 10/18/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	ı No.	Applicant(s)					
Office Action Summary		10/653,174	ŀ	KANNO, MASAYUKI					
		Examiner		Art Unit					
		Krisanne Ja		1744					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).									
Status									
1)	Responsive to communication(s) filed on								
2a) <u></u> ☐	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.								
3)									
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposit	ion of Claims								
4)⊠	4) Claim(s) <u>1-20</u> is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
• =	5) Claim(s) is/are allowed.								
·	S)⊠ Claim(s) <u>1-20</u> is/are rejected. 7)□ Claim(s) is/are objected to.								
·	Claim(s) are subject to restriction and/o	or election re	quirement.						
Annlicat	ion Papers								
_	·	<b>.</b>							
9) The specification is objected to by the Examiner.  10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority (	under 35 U.S.C. § 119								
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).									
a) ☐ All b) ☐ Some * c) ☐ None of:									
	1. Certified copies of the priority documents have been received.								
2. Certified copies of the priority documents have been received in Application No									
3. Copies of the certified copies of the priority documents have been received in this National Stage									
application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.									
Attachmer	nt(s)								
1) Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  A) Interview Summary (PTO-413)  Paper No(s)/Mail Date									
	3) Information Disclosure Statement(s) (PTO/SB/08)  5) Notice of Informal Patent Application								
Paper No(s)/Mail Date <u>09/03</u> . 6)  Other:									

Application/Control Number: 10/653,174

Art Unit: 1744

### **DETAILED ACTION**

#### Specification

The abstract of the disclosure is objected to because of grammatical errors.

Correction is required. See MPEP § 608.01(b).

The disclosure is objected to because of the following informalities: the continuing information on page 1, should be updated to reflect the current status of the parent application.

Appropriate correction is required.

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

With respect to claim 1, "said equipment" lacks proper antecedent basis, and the recitation in the last line of the claim of "without any need of drying said fluid" is found to be vague and indefinite because it is nonsensical. Clarification is required.

With respect to claim 2, "the ceiling", "said equipment" and "the fluid" all lack proper antecedent basis. Also, the recitation of "large pressure difference" is found to be vague and indefinite because it is unclear as to what would actually constitute a "large" difference. Clarification is required.

Application/Control Number: 10/653,174

Art Unit: 1744

With respect to claim 15, this claim is found to be vague and indefinite because while it recites "the fluid" in line 2, it appears to be a fluid other than that previously recited as present in the vessel. Clarification is required.

With respect to claims 17-18, the recitation of "metal objects inserted into a body of a patient" is improper. These objects cannot be inserted into the body while in the pressure vessel being treated. It is suggested that "configured to be" be added prior to "inserted".

# **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-20 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-13 of U.S. Patent No. 6,610,251 B1.

Although the conflicting claims are not identical, they are not patentably distinct from

Application/Control Number: 10/653,174 Page 4

Art Unit: 1744

each other because they are of the same inventive concept, namely the sterilization of objects with supercritical extraction, those objects being similar porous objects.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krisanne Jastrzab whose telephone number is 571-272-1279. The examiner can normally be reached on Mon.-Thurs. 6:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on 571-272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Krisanne Jastrzab Primary Examiner Art Unit 1744

October 16, 2006